

Cleveland Metroparks Outdoor Experiences Division  
Administration..... (216) 881-8141  
Brecksville Nature Center..... (440) 526-1012  
CanalWay Center..... (216) 206-1000  
Garfield Park Center..... (216) 341-3152  
North Chagrin Nature Center and  
Look About Lodge..... (440) 473-3370  
Rocky River Nature Center..... (440) 734-6660  
Watershed Stewardship Center.....(440) 887-1968

RELATIVE ABUNDANCE  
C = Common. Widespread and often numerous in proper habitat and season.

O = Occasional. Found at scattered locations or widespread but in moderate numbers.

R = Rare. Represented by a few individuals or has a very restricted range within Cleveland Metroparks.

\* = Nests within Cleveland Metroparks

Sp = Spring (March - May)  
Su = Summer (June - July)  
F = Fall (August - November)  
W = Winter (December - February)

**Geese, Swans, and Ducks: Family Anatidae**

|   | Sp | Su | F | W |
|---|----|----|---|---|
| ___ Greater White-fronted Goose   | R  | -  | R | R |
| ___ Snow Goose  | R  | -  | R | R |
| ___ Ross's Goose  | R  | -  | R | R |
| ___ *Canada Goose   | C  | C  | C | C |
| ___ Cackling Goose  | R  | -  | R | R |
| ___ Brant; <i>very rare inland</i>  | -  | -  | R | R |
| ___ Mute Swan; <i>native to Eurasia</i>                                   | R  | R  | R | R |
| ___ Tundra Swan   | O  | -  | O | R |
| ___ Trumpeter Swan; <i>very rare, introduced</i>                          | R  | -  | R | R |
| ___ *Wood Duck  | C  | C  | C | R |
| ___ Gadwall   | C  | -  | C | R |
| ___ Eurasian Wigeon   | R  | -  | R | R |
| ___ American Wigeon   | C  | -  | C | R |
| ___ American Black Duck   | O  | R  | O | O |
| ___ *Mallard  | C  | C  | C | C |
| ___ Blue-winged Teal  | C  | R  | C | - |
| ___ Northern Shoveler   | O  | -  | O | R |
| ___ Northern Pintail  | O  | R  | O | R |
| ___ Green-winged Teal   | O  | R  | C | R |
| ___ Canvasback  | C  | -  | O | C |
| ___ Redhead   | C  | -  | O | C |
| ___ Ring-necked Duck  | C  | -  | O | R |
| ___ Greater Scaup   | O  | -  | O | C |
| ___ Lesser Scaup  | C  | -  | C | C |
| ___ King Eider; <i>very rare on Lake Erie</i>                             | R  | -  | R | R |
| ___ Common Eider; <i>one record, Gordon Park, Nov 2002 - January 2003</i> |    |    |   |   |
| ___ Harlequin Duck; <i>very rare on Lake Erie</i>                         | R  | -  | R | R |
| ___ Surf Scoter   | R  | -  | R | R |

|  | Sp | Su | F | W |
|--|----|----|---|---|
| ___ White-winged Scoter; <i>very rare inland</i>                             | R  | -  | R | R |
| ___ Black Scoter; <i>very rare inland</i>                                    | R  | -  | R | h |
| ___ Long-tailed Duck; <i>rare inland</i>                                     | R  | -  | R | R |
| ___ Bufflehead   | C  | -  | C | C |
| ___ Common Goldeneye   | C  | -  | C | C |
| ___ *Hooded Merganser  | C  | O  | C | O |
| ___ Common Merganser   | O  | R  | O | O |
| ___ Red-breasted Merganser   | C  | -  | C | C |
| ___ Ruddy Duck   | C  | R  | C | R |
| <b>Pheasants, Grouse, &amp; Turkeys: Family Phasianidae</b>                  |    |    |   |   |
| ___ Ring-necked Pheasant; <i>native to Asia</i>                              | R  | R  | R | R |
| ___ Ruffed Grouse; <i>formerly nested, extirpated</i>                        |    |    |   |   |
| ___ *Wild Turkey; <i>increasing</i>  | O  | O  | O | O |
| <b>New World Quail: Family Odontophoridae</b>                                |    |    |   |   |
| ___ Northern Bobwhite; <i>extirpated</i>                                     |    |    |   |   |
| <b>Loons: Family Gaviidae</b>  |    |    |   |   |
| ___ Red-throated Loon; <i>rare migrant on Lake Erie</i>                      | R  | -  | R | R |
| ___ Pacific Loon; <i>very rare on Lake Erie, few records</i>                 | R  | -  | R | R |
| ___ Common Loon; <i>common on Lake Erie</i>                                  | O  | R  | O | O |
| <b>Grebes: Family Podicipedidae</b>  |    |    |   |   |
| ___ *Pied-billed Grebe   | C  | R  | C | O |
| ___ Horned Grebe; <i>common on Lake Erie</i>                                 | O  | -  | O | O |
| ___ Red-necked Grebe   | R  | -  | R | R |
| ___ Eared Grebe; <i>rare migrant on Lake Erie</i>                            | R  | -  | R | R |
| ___ Western Grebe; <i>very rare, few records</i>                             |    |    |   |   |
| <b>Pelicans: Family Pelecanidae</b>  |    |    |   |   |
| ___ Brown Pelican; <i>2 records Huntington; 1 record Lakefront Res. 2013</i> |    |    |   |   |
| ___ American White Pelican; <i>few records, spring-fall</i>                  |    |    |   |   |
| <b>Gannet: Family Sulidae</b>  |    |    |   |   |
| ___ Northern Gannet; <i>extremely rare on Lake Erie, few records</i>         |    |    |   |   |
| <b>Cormorants: Family Phalacrocoracidae</b>                                  |    |    |   |   |
| ___ Double-crested Cormorant   | C  | O  | C | R |
| <b>Hérons and Bitterns: Family Ardeidae</b>                                  |    |    |   |   |
| ___ American Bittern   | O  | R  | R | - |
| ___ Least Bittern  | R  | R  | R | - |
| ___ *Great Blue Heron  | C  | C  | C | O |
| ___ Great Egret  | O  | R  | O | R |
| ___ Snowy Egret  | R  | R  | R | - |
| ___ Little Blue Heron; <i>very rare</i>                                      | R  | R  | R | - |
| ___ Cattle Egret; <i>very rare</i>   | R  | R  | R | R |
| ___ *Green Heron   | C  | C  | C | - |
| ___ Black-crowned Night-Heron  | O  | O  | O | O |
| ___ Yellow-crowned Night-Heron; <i>no records since 1990</i>                 |    |    |   |   |
| <b>Ibises: Family Threskiornithidae</b>                                      |    |    |   |   |
| ___ White Ibis; <i>1 record 7/17/93 Rocky River Reservation</i>              |    |    |   |   |
| ___ Glossy Ibis; <i>few records</i>  | R  | R  | R | - |
| <b>New World Vultures: Family Cathartidae</b>                                |    |    |   |   |
| ___ Black Vulture; <i>few records</i>  | R  | -  | R | R |
| ___ *Turkey Vulture  | C  | C  | C | R |
| <b>Hawks, Eagles, and Allies: Family Accipitridae</b>                        |    |    |   |   |
| ___ Osprey   | O  | R  | O | - |
| ___ *Bald Eagle; <i>increasing</i>   | O  | O  | O | O |
| ___ Northern Harrier   | O  | -  | O | R |
| ___ *Sharp-shinned Hawk  | C  | R  | O | O |
| ___ *Cooper's Hawk   | C  | C  | C | C |
| ___ Northern Goshawk; <i>rare migrant</i>                                    | R  | -  | R | R |
| ___ *Red-shouldered Hawk   | C  | C  | C | C |

|  | Sp | Su | F | W |
|--|----|----|---|---|
| ___ *Broad-winged Hawk                                     | C  | C  | O | - |
| ___ *Red-tailed Hawk                                       | C  | C  | C | C |
| ___ Rough-legged Hawk                                      | R  | -  | R | R |
| ___ Golden Eagle; <i>rare migrant</i>                      | R  | -  | R | R |
| <b>Falcons: Family Falconidae</b>                          |    |    |   |   |
| ___ *American Kestrel; <i>declining</i>                    | O  | O  | O | O |
| ___ Merlin   | R  | -  | R | R |
| ___ *Peregrine Falcon; <i>increasing</i>                   | O  | O  | O | O |
| <b>Rails, Gallinules, and Coots: Family Rallidae</b>       |    |    |   |   |
| ___ *Virginia Rail   | O  | O  | O | R |
| ___ *Sora  | O  | O  | O | - |
| ___ Common Gallinule                                       | O  | R  | R | - |
| ___ American Coot  | C  | R  | C | O |
| <b>Cranes: Family Gruidae</b>                              |    |    |   |   |
| ___ Sandhill Crane   | R  | -  | R | - |
| <b>Plovers: Family Charadriidae</b>                        |    |    |   |   |
| ___ Black-bellied Plover                                   | R  | R  | R | - |
| ___ American Golden-Plover                                 | -  | -  | R | - |
| ___ Semipalmated Plover                                    | O  | R  | O | - |
| ___ Piping Plover; <i>threatened, few records</i>          | R  | R  | R | - |
| ___ *Killdeer  | C  | C  | C | R |
| <b>AVOCET &amp; STILTS: Family Haematopodidae</b>          |    |    |   |   |
| ___ American Avocet  | R  | R  | R | - |
| <b>Sandpipers and Phalaropes: Family Scolopacidae</b>      |    |    |   |   |
| ___ Greater Yellowlegs                                     | O  | O  | O | - |
| ___ Lesser Yellowlegs                                      | O  | O  | O | - |
| ___ Upland Sandpiper                                       | R  | -  | R | - |
| ___ Solitary Sandpiper                                     | C  | O  | C | - |
| ___ Willet   | R  | R  | R | - |
| ___ *Spotted Sandpiper                                     | C  | O  | C | R |
| ___ Upland Sandpiper                                       | R  | R  | R | - |
| ___ Whimbrel   | R  | R  | R | - |
| ___ Hudsonian Godwit                                       | R  | R  | R | - |
| ___ Marbled Godwit   | R  | R  | R | - |
| ___ Ruddy Turnstone  | O  | R  | O | - |
| ___ Red Knot; <i>declining</i>                             | R  | R  | R | - |
| ___ Sanderling   | O  | O  | O | - |
| ___ Semipalmated Sandpiper                                 | O  | O  | O | - |
| ___ Western Sandpiper                                      | R  | R  | R | - |
| ___ Least Sandpiper  | O  | O  | O | - |
| ___ White-rumped Sandpiper                                 | R  | R  | R | - |
| ___ Baird's Sandpiper                                      | R  | R  | R | - |
| ___ Pectoral Sandpiper                                     | O  | O  | O | - |
| ___ Purple Sandpiper; <i>rare on breakwalls, Lake Erie</i> | R  | -  | R | R |
| ___ Dunlin   | O  | -  | O | - |
| ___ Stilt Sandpiper  | -  | R  | R | - |
| ___ Short-billed Dowitcher                                 | O  | R  | O | - |
| ___ Long-billed Dowitcher                                  | R  | R  | R | - |
| ___ Wilson's Snipe   | O  | -  | O | R |
| ___ *American Woodcock                                     | C  | O  | O | R |
| ___ Wilson's Phalarope                                     | R  | R  | R | - |
| ___ Red-necked Phalarope; <i>rare migrant</i>              | -  | R  | R | R |
| ___ Red Phalarope; <i>rare migrant on Lake Erie</i>        | -  | -  | R | R |
| <b>Jaegers, Gulls, and Terns: Family Laridae</b>           |    |    |   |   |
| ___ Pomarine Jaeger; <i>rare on Lake Erie</i>              | -  | -  | R | R |
| ___ Parasitic Jaeger; <i>rare migrant on Lake Erie</i>     | -  | -  | R | - |
| ___ Long-tailed Jaeger; <i>very rare on Lake Erie</i>      | -  | R  | R | - |

|   | Sp | Su | F | W |
|---|----|----|---|---|
| <b>Jaegers, Gulls, and Terns: Family Laridae continued</b>            |    |    |   |   |
| ___ Black-legged Kittiwake; <i>rare on Lake Erie</i>                  | R  | -  | R | R |
| ___ Sabine's Gull; <i>rare migrant on Lake Erie</i>                   | -  | -  | R | R |
| ___ Little Gull; <i>rare migrant on Lake Erie</i>                     | R  | -  | R | R |
| ___ Bonaparte's Gull  | C  | R  | C | C |
| ___ Black-headed Gull; <i>rare visitor, Lake Erie</i>                 | R  | -  | R | R |
| ___ Franklin's Gull   | R  | R  | R | R |
| ___ Laughing Gull   | R  | R  | R | R |
| ___ Ivory Gull; <i>one record, Gordon Park, Dec 17-19, 1975</i>       |    |    |   |   |
| ___ Ring-billed Gull  | C  | C  | C | C |
| ___ California Gull   | R  | R  | R | R |
| ___ Herring Gull  | C  | C  | C | C |
| ___ Thayer's Gull   | R  | -  | R | R |
| ___ Iceland Gull  | R  | -  | R | R |
| ___ Lesser Black-backed Gull  | O  | R  | O | O |
| ___ Glaucous Gull   | O  | -  | R | O |
| ___ Great Black-backed Gull   | C  | O  | C | C |
| ___ Caspian Tern  | O  | O  | O | - |
| ___ Common Tern   | O  | R  | O | - |
| ___ Forster's Tern  | O  | R  | O | - |
| ___ Black Tern; <i>declining, very rare migrant</i>                   | R  | -  | R | - |
| <b>Alcids: Family Alcidae</b>   |    |    |   |   |
| ___ Black Guillemot; <i>one record, Gordon Park, Nov 8-11, 1990</i>   |    |    |   |   |
| <b>Pigeons and Doves: Family Columbidae</b>                           |    |    |   |   |
| ___ *Rock Pigeon; <i>native to Eurasia</i>                            | C  | C  | C | C |
| ___ *Mourning Dove  | C  | C  | C | C |
| ___ White-winged Dove; <i>one record Huntington Reservation, 2015</i> |    |    |   |   |
| ___ Eurasian Collared-Dove; <i>one record, Wendy Park, 2015</i>       |    |    |   |   |
| <b>Cuckoos: Family Cuculidae</b>                                      |    |    |   |   |
| ___ *Black-billed Cuckoo  | O  | O  | O | - |
| ___ *Yellow-billed Cuckoo   | O  | O  | O | - |
| <b>Barn Owls: Family Tytonidae</b>                                    |    |    |   |   |
| ___ Barn Owl; <i>very rare migrant, no longer nests</i>               | R  | -  | R | - |
| <b>Typical Owls: Family Strigidae</b>                                 |    |    |   |   |
| ___ *Eastern Screech-Owl  | C  | C  | C | C |
| ___ *Great Horned Owl   | C  | C  | C | C |
| ___ Snowy Owl   | -  | -  | R | R |
| ___ *Barred Owl   | C  | C  | C | C |
| ___ Long-eared Owl  | R  | -  | R | R |
| ___ Short-eared Owl   | R  | -  | R | R |
| ___ Northern Saw-whet Owl   | R  | -  | R | R |
| <b>Nighthawks and Nightjars: Family Caprimulgidae</b>                 |    |    |   |   |
| ___ *Common Nighthawk   | C  | C  | C | - |
| ___ Eastern Whip-poor-will  | R  | -  | R | - |
| <b>Swifts: Family Apodidae</b>  |    |    |   |   |
| ___ *Chimney Swift  | C  | C  | C | - |
| <b>Hummingbirds: Family Trochilidae</b>                               |    |    |   |   |
| ___ *Ruby-throated Hummingbird  | C  | C  | C | - |
| <b>Kingfishers: Family Alcedinidae</b>                                |    |    |   |   |
| ___ *Belted Kingfisher  | C  | C  | C | O |
| <b>Woodpeckers: Family Picidae</b>                                    |    |    |   |   |
| ___ *Red-headed Woodpecker  | O  | O  | O | R |
| ___ *Red-bellied Woodpecker   | C  | C  | C | C |
| ___ *Yellow-bellied Sapsucker   | O  | R  | O | R |
| ___ *Downy Woodpecker   | C  | C  | C | C |
| ___ *Hairy Woodpecker   | C  | C  | C | C |
| ___ *Northern Flicker   | C  | C  | C | R |
| ___ *Pileated Woodpecker  | C  | C  | C | C |

|  | Sp | Su | F | W |
|--|----|----|---|---|
| <b>Tyrant Flycatchers: Family Tyrannidae</b>                             |    |    |   |   |
| ___ Olive-sided Flycatcher   | O  | R  | O | - |
| ___ *Eastern Wood-Pewee  | C  | C  | C | - |
| ___ Yellow-bellied Flycatcher  | O  | R  | O | - |
| ___ *Acadian Flycatcher  | C  | C  | O | - |
| ___ Alder Flycatcher   | O  | R  | O | - |
| ___ *Willow Flycatcher   | C  | C  | O | - |
| ___ Least Flycatcher   | C  | R  | C | - |
| ___ *Eastern Phoebe  | C  | C  | C | R |
| ___ Say's Phoebe; <i>two records, one from Gordon Park, 2004</i>         |    |    |   |   |
| ___ *Great Crested Flycatcher  | C  | C  | C | - |
| ___ Western Kingbird; <i>1 record, Brookside Reservation, 2012</i>       |    |    |   |   |
| ___ *Eastern Kingbird  | C  | C  | C | - |
| ___ Scissor-tailed Flycatcher; <i>1 record Huntington Reservation</i>    |    |    |   |   |
| <b>Shrikes: Family Laniidae</b>  |    |    |   |   |
| ___ Loggerhead Shrike; <i>declining; very rare migrant</i>               | R  | R  | R | R |
| ___ Northern Shrike  | R  | -  | R | R |
| <b>Vireos: Family Vireonidae</b>   |    |    |   |   |
| ___ *White-eyed Vireo  | O  | O  | O | - |
| ___ *Yellow-throated Vireo   | O  | O  | O | - |
| ___ *Blue-headed Vireo   | C  | R  | C | - |
| ___ *Warbling Vireo  | C  | C  | C | - |
| ___ Philadelphia Vireo   | O  | -  | O | - |
| ___ *Red-eyed Vireo  | C  | C  | C | - |
| <b>Jays and Crows: Family Corvidae</b>                                   |    |    |   |   |
| ___ *Blue Jay  | C  | C  | C | C |
| ___ *American Crow   | C  | C  | C | C |
| ___ Fish Crow; <i>rare, recent nests in Cleveland region, since 2012</i> |    |    |   |   |
| <b>Larks: Family Alaudidae</b>   |    |    |   |   |
| ___ Horned Lark  | O  | R  | O | R |
| <b>Swallows: Family Hirundinidae</b>                                     |    |    |   |   |
| ___ Purple Martin  | O  | O  | O | - |
| ___ *Tree Swallow  | C  | C  | C | - |
| ___ *Northern Rough-winged Swallow                                       | C  | C  | C | - |
| ___ *Bank Swallow  | O  | O  | O | - |
| ___ *Cliff Swallow   | R  | R  | R | - |
| ___ Cave Swallow; <i>very rare, few fall records, Edgewater Park</i>     |    |    |   |   |
| ___ *Barn Swallow  | C  | C  | C | - |
| <b>Chickadees and Titmice: Family Paridae</b>                            |    |    |   |   |
| ___ *Black-capped Chickadee  | C  | C  | C | C |
| ___ Boreal Chickadee; <i>1 record 11/16/63 Rocky River Res.</i>          |    |    |   |   |
| ___ *Tufted Titmouse   | C  | C  | C | C |
| <b>Nuthatches: Family Sittidae</b>                                       |    |    |   |   |
| ___ *Red-breasted Nuthatch   | O  | R  | O | O |
| ___ *White-breasted Nuthatch   | C  | C  | C | C |
| <b>Creepers: Family Certhiidae</b>                                       |    |    |   |   |
| ___ *Brown Creeper   | C  | R  | C | O |
| <b>Wrens: Family Troglodytidae</b>                                       |    |    |   |   |
| ___ Rock Wren; <i>one record, Edgewater Park, December 1973</i>          |    |    |   |   |
| ___ *Carolina Wren   | C  | C  | C | C |
| ___ *House Wren  | C  | C  | C | - |
| ___ *Winter Wren   | C  | R  | C | R |
| ___ Sedge Wren   | R  | R  | R | - |
| ___ Marsh Wren   | O  | R  | O | R |
| <b>Kinglets: Family Regulidae</b>  |    |    |   |   |
| ___ *Golden-crowned Kinglet  | C  | R  | C | O |
| ___ Ruby-crowned Kinglet   | C  | -  | C | R |
| <b>Gnatcatchers: Family Sylviidae</b>                                    |    |    |   |   |
| ___ *Blue-gray Gnatcatcher   | C  | C  | O | - |

|   | Sp | Su | F | W |
|---|----|----|---|---|
| <b>Thrushes: Family Turdidae</b>                                  |    |    |   |   |
| ___ *Eastern Bluebird   | C  | C  | C | O |
| ___ *Veery  | C  | O  | O | - |
| ___ Gray-cheeked Thrush   | O  | -  | O | - |
| ___ Swainson's Thrush   | C  | -  | C | - |
| ___ Hermit Thrush   | C  | R  | C | R |
| ___ *Wood Thrush  | C  | C  | C | - |
| ___ *American Robin   | C  | C  | C | O |
| ___ Varied Thrush; <i>very rare, few winter records</i>           |    |    |   |   |
| <b>Mockingbirds and Thrashers: Family Mimidae</b>                 |    |    |   |   |
| ___ *Gray Catbird   | C  | C  | C | R |
| ___ *Northern Mockingbird; <i>increasing</i>                      | O  | O  | O | O |
| ___ *Brown Thrasher   | C  | O  | C | - |
| <b>Starlings: Family Sturnidae</b>                                |    |    |   |   |
| ___ *European Starling; <i>native to Eurasia</i>                  | C  | C  | C | C |
| <b>Pipits: Family Motacillidae</b>                                |    |    |   |   |
| ___ American Pipit  | O  | -  | O | - |
| <b>Waxwings: Family Bombycillidae</b>                             |    |    |   |   |
| ___ Bohemian Waxwing; <i>very rare, few records</i>               | R  | -  | R | R |
| ___ *Cedar Waxwing  | C  | C  | C | O |
| <b>Wood Warblers: Family Parulidae</b>                            |    |    |   |   |
| ___ *Blue-winged Warbler  | C  | C  | O | - |
| ___ Golden-winged Warbler; <i>declining</i>                       | R  | R  | R | - |
| ___ Tennessee Warbler   | C  | R  | C | - |
| ___ Orange-crowned Warbler  | O  | -  | O | R |
| ___ Nashville Warbler   | C  | R  | C | - |
| ___ *Northern Parula  | O  | R  | O | - |
| ___ *Yellow Warbler   | C  | C  | C | - |
| ___ *Chestnut-sided Warbler                                       | C  | R  | C | - |
| ___ *Magnolia Warbler   | C  | R  | C | - |
| ___ Cape May Warbler  | C  | -  | C | - |
| ___ Black-throated Blue Warbler                                   | C  | R  | C | - |
| ___ Yellow-rumped Warbler   | C  | -  | C | O |
| ___ Black-throated Gray Warbler; <i>very rare, few records</i>    |    |    |   |   |
| ___ *Black-throated Green Warbler                                 | C  | O  | C | - |
| ___ *Blackburnian Warbler   | O  | R  | O | - |
| ___ *Yellow-throated Warbler                                      | O  | O  | R | - |
| ___ *Pine Warbler   | O  | R  | R | - |
| ___ Kirtland's Warbler; <i>endangered species</i>                 | R  | -  | R | - |
| ___ Prairie Warbler   | R  | R  | R | - |
| ___ Palm Warbler  | C  | -  | C | - |
| ___ Bay-breasted Warbler  | C  | -  | C | - |
| ___ Blackpoll Warbler   | O  | R  | C | - |
| ___ *Cerulean Warbler   | O  | O  | R | - |
| ___ Black-and-White Warbler                                       | C  | R  | C | - |
| ___ *American Redstart  | C  | C  | C | - |
| ___ *Prothonotary Warbler   | R  | O  | R | - |
| ___ Worm-eating Warbler   | R  | R  | - | - |
| ___ *Ovenbird   | C  | C  | C | - |
| ___ Northern Waterthrush  | O  | -  | O | - |
| ___ *Louisiana Waterthrush  | C  | C  | R | - |
| ___ Swainson's Warbler; <i>one record, Huntington Reservation</i> |    |    |   |   |
| ___ *Kentucky Warbler   | R  | R  | - | - |
| ___ Connecticut Warbler; <i>rare migrant</i>                      | R  | R  | R | - |
| ___ Mourning Warbler  | O  | R  | O | - |
| ___ *Common Yellowthroat  | C  | C  | C | R |
| ___ *Hooded Warbler   | C  | C  | O | - |
| ___ Wilson's Warbler  | C  | -  | C | - |

|  | Sp | Su | F | W |
|--|----|----|---|---|
| ___ Canada Warbler   | O  | R  | O | - |
| ___ *Yellow-breasted Chat; <i>declining</i>                        | R  | R  | R | - |
| <b>Tanagers: Family Thraupidae</b>                                 |    |    |   |   |
| ___ Summer Tanager; <i>rare migrant</i>                            | O  | R  | R | - |
| ___ *Scarlet Tanager   | C  | C  | C | - |
| ___ Western Tanager; <i>one record, Wendy Park, April 18, 2015</i> |    |    |   |   |
| <b>Emberizid Sparrows: Family Emberizidae</b>                      |    |    |   |   |
| ___ *Eastern Towhee  | C  | C  | C | R |
| ___ American Tree Sparrow  | C  | -  | C | C |
| ___ *Chipping Sparrow  | C  | C  | C | R |
| ___ Clay-colored Sparrow; <i>rare migrant</i>                      | R  | -  | R | - |
| ___ *Field Sparrow   | C  | C  | C | R |
| ___ Vesper Sparrow   | O  | -  | R | - |
| ___ Lark Sparrow; <i>rare migrant, few records</i>                 | R  | -  | R | - |
| ___ *Savannah Sparrow  | O  | R  | O | - |
| ___ Grasshopper Sparrow  | R  | R  | R | - |
| ___ Henslow's Sparrow; <i>has nested</i>                           | R  | -  | R | - |
| ___ LeConte's Sparrow; <i>rare migrant</i>                         | R  | -  | R | - |
| ___ Nelson's Sparrow; <i>rare migrant</i>                          | R  | -  | R | - |
| ___ Fox Sparrow  | O  | -  | O | R |
| ___ *Song Sparrow  | C  | C  | C | C |
| ___ Lincoln's Sparrow  | O  | -  | O | - |
| ___ *Swamp Sparrow   | C  | O  | C | O |
| ___ White-throated Sparrow   | C  | R  | C | O |
| ___ White-crowned Sparrow  | C  | -  | C | R |
| ___ *Dark-eyed Junco   | C  | R  | C | C |
| ___ Lapland Longspur   | R  | -  | R | R |
| ___ Snow Bunting   | R  | -  | O | R |
| <b>Cardinals and Allies: Family Cardinalidae</b>                   |    |    |   |   |
| ___ *Northern Cardinal   | C  | C  | C | C |
| ___ *Rose-breasted Grosbeak  | C  | C  | C | - |
| ___ Blue Grosbeak; <i>few records, very rare migrant</i>           | R  | -  | R | - |
| ___ *Indigo Bunting  | C  | C  | O | - |
| ___ Dickcissel; <i>few records, very rare migrant</i>              | R  | -  | R | - |
| <b>Blackbirds and Orioles: Family Icteridae</b>                    |    |    |   |   |
| ___ *Bobolink  | O  | R  | O | - |
| ___ *Red-winged Blackbird  | C  | C  | C | O |
| ___ *Eastern Meadowlark  | C  | C  | C | R |
| ___ Yellow-headed Blackbird; <i>very rare</i>                      | R  | -  | R | - |
| ___ Rusty Blackbird  | O  | -  | O | R |
| ___ Brewer's Blackbird; <i>very rare</i>                           | R  | -  | - | R |
| ___ *Common Grackle  | C  | C  | C | O |
| ___ *Brown-headed Cowbird  | C  | C  | C | O |
| ___ *Orchard Oriole  | O  | O  | R | - |
| ___ *Baltimore Oriole  | C  | C  | C | - |
| <b>Finches and Allies: Family Fringillidae</b>                     |    |    |   |   |
| ___ Pine Grosbeak; <i>1 record 1/1/62 Rocky River Reservation</i>  |    |    |   |   |
| ___ *Purple Finch  | O  | O  | O | O |
| ___ *House Finch   | C  | C  | C | C |
| ___ Red Crossbill  | R  | R  | R | R |
| ___ White-winged Crossbill   | R  | -  | R | R |
| ___ Common Redpoll; <i>irruptive, common some years</i>            | R  | -  | R | R |
| ___ Hoary Redpoll; <i>rare irruptive in winter, few records</i>    |    |    |   |   |
| ___ Pine Siskin; <i>irruptive, common some years</i>               | O  | R  | O | O |
| ___ *American Goldfinch  | C  | C  | C | C |
| ___ Evening Grosbeak; <i>declining</i>                             | R  | -  | R | R |
| <b>Old World Sparrows: Family Passeridae</b>                       |    |    |   |   |
| ___ *House Sparrow; <i>native to Eurasia</i>                       | C  | C  | C | C |



Northern Parula by Chuck Slusarczyk Jr.

Date/time: \_\_\_\_\_

Location: \_\_\_\_\_

Weather: \_\_\_\_\_





|   |                |
|---|----------------|
| Cleveland Metroparks Outdoor Experiences Division |                |
| Administration.....                               | (216) 881-8141 |
| Brecksville Nature Center.....                    | (440) 526-1012 |
| CanalWay Center.....                              | (216) 206-1000 |
| Garfield Park Center.....                         | (216) 341-3152 |
| North Chagrin Nature Center and                   |                |
| Look About Lodge.....                             | (440) 473-3370 |
| Rocky River Nature Center.....                    | (440) 734-6660 |
| Watershed Stewardship Center.....                 | (440) 887-1968 |

|  |                              |
|--|------------------------------|
| RELATIVE ABUNDANCE   |                              |
| C = Common. Widespread and often numerous in proper habitat and season.                                |                              |
| O = Occasional. Found at scattered locations or widespread but in moderate numbers.                    |                              |
| R = Rare. Represented by a few individuals or has a very restricted range within Cleveland Metroparks. |                              |
| * = Nests within Cleveland Metroparks  |                              |
| Sp =   | Spring (March - May)         |
| Su =   | Summer (June - July)         |
| F =  | Fall (August - November)     |
| W =  | Winter (December - February) |

|   |         |
|---|---------|
| <b>Geese, Swans, and Ducks: Family Anatidae</b>                           |         |
| ___ Greater White-fronted Goose   | R - R R |
| ___ Snow Goose  | R - R R |
| ___ Ross's Goose  | R - R R |
| ___ *Canada Goose   | C C C C |
| ___ Cackling Goose  | R - R R |
| ___ Brant; <i>very rare inland</i>  | - - R R |
| ___ Mute Swan; <i>native to Eurasia</i>                                   | R R R R |
| ___ Tundra Swan   | O - O R |
| ___ Trumpeter Swan; <i>very rare, introduced</i>                          | R - R R |
| ___ *Wood Duck  | C C C R |
| ___ Gadwall   | C - C R |
| ___ Eurasian Wigeon   | R - R R |
| ___ American Wigeon   | C - C R |
| ___ American Black Duck   | O R O O |
| ___ *Mallard  | C C C C |
| ___ Blue-winged Teal  | C R C - |
| ___ Northern Shoveler   | O - O R |
| ___ Northern Pintail  | O R O R |
| ___ Green-winged Teal   | O R C R |
| ___ Canvasback  | C - O C |
| ___ Redhead   | C - O C |
| ___ Ring-necked Duck  | C - O R |
| ___ Greater Scaup   | O - O C |
| ___ Lesser Scaup  | C - C C |
| ___ King Eider; <i>very rare on Lake Erie</i>                             | R - R R |
| ___ Common Eider; <i>one record, Gordon Park, Nov 2002 - January 2003</i> | R - R R |
| ___ Harlequin Duck; <i>very rare on Lake Erie</i>                         | R - R R |
| ___ Surf Scoter   | R - R R |

|  |         |
|--|---------|
| ___ White-winged Scoter; <i>very rare inland</i>                             | R - R R |
| ___ Black Scoter; <i>very rare inland</i>                                    | R - R h |
| ___ Long-tailed Duck; <i>rare inland</i>                                     | R - R R |
| ___ Bufflehead   | C - C C |
| ___ Common Goldeneye   | C - C C |
| ___ *Hooded Merganser  | C O C O |
| ___ Common Merganser   | O R O O |
| ___ Red-breasted Merganser   | C - C C |
| ___ Ruddy Duck   | C R C R |
| <b>Pheasants, Grouse, &amp; Turkeys: Family Phasianidae</b>                  |         |
| ___ Ring-necked Pheasant; <i>native to Asia</i>                              | R R R R |
| ___ Ruffed Grouse; <i>formerly nested, extirpated</i>                        | - - - - |
| ___ *Wild Turkey; <i>increasing</i>  | O O O O |
| <b>New World Quail: Family Odontophoridae</b>                                |         |
| ___ Northern Bobwhite; <i>extirpated</i>                                     | - - - - |
| <b>Loons: Family Gaviidae</b>  |         |
| ___ Red-throated Loon; <i>rare migrant on Lake Erie</i>                      | R - R R |
| ___ Pacific Loon; <i>very rare on Lake Erie, few records</i>                 | R - R R |
| ___ Common Loon; <i>common on Lake Erie</i>                                  | O R O O |
| <b>Grebes: Family Podicipedidae</b>  |         |
| ___ *Pied-billed Grebe   | C R C O |
| ___ Horned Grebe; <i>common on Lake Erie</i>                                 | O - O O |
| ___ Red-necked Grebe   | R - R R |
| ___ Eared Grebe; <i>rare migrant on Lake Erie</i>                            | R - R R |
| ___ Western Grebe; <i>very rare, few records</i>                             | - - - - |
| <b>Pelicans: Family Pelecanidae</b>  |         |
| ___ Brown Pelican; <i>2 records Huntington; 1 record Lakefront Res. 2013</i> | - - - - |
| ___ American White Pelican; <i>few records, spring-fall</i>                  | - - - - |
| <b>Gannet: Family Sulidae</b>  |         |
| ___ Northern Gannet; <i>extremely rare on Lake Erie, few records</i>         | - - - - |
| <b>Cormorants: Family Phalacrocoracidae</b>                                  |         |
| ___ Double-crested Cormorant   | C O C R |
| <b>Hérons and Bitterns: Family Ardeidae</b>                                  |         |
| ___ American Bittern   | O R R - |
| ___ Least Bittern  | R R R - |
| ___ *Great Blue Heron  | C C C O |
| ___ Great Egret  | O R O R |
| ___ Snowy Egret  | R R R - |
| ___ Little Blue Heron; <i>very rare</i>                                      | R R R - |
| ___ Cattle Egret; <i>very rare</i>   | R R R R |
| ___ *Green Heron   | C C C - |
| ___ Black-crowned Night-Heron  | O O O O |
| ___ Yellow-crowned Night-Heron; <i>no records since 1990</i>                 | - - - - |
| <b>Ibises: Family Threskiornithidae</b>                                      |         |
| ___ White Ibis; <i>1 record 7/17/93 Rocky River Reservation</i>              | - - - - |
| ___ Glossy Ibis; <i>few records</i>  | R R R - |
| <b>New World Vultures: Family Cathartidae</b>                                |         |
| ___ Black Vulture; <i>few records</i>  | R - R R |
| ___ *Turkey Vulture  | C C C R |
| <b>Hawks, Eagles, and Allies: Family Accipitridae</b>                        |         |
| ___ Osprey   | O R O - |
| ___ *Bald Eagle; <i>increasing</i>   | O O O O |
| ___ Northern Harrier   | O - O R |
| ___ *Sharp-shinned Hawk  | C R O O |
| ___ *Cooper's Hawk   | C C C C |
| ___ Northern Goshawk; <i>rare migrant</i>                                    | R - R R |
| ___ *Red-shouldered Hawk   | C C C C |

|   |         |
|---|---------|
| ___ *Broad-winged Hawk  | - - R R |
| ___ *Red-tailed Hawk  | C C C C |
| ___ Rough-legged Hawk   | R - R R |
| ___ Golden Eagle; <i>rare migrant</i>                                 | R - R R |
| <b>Falcons: Family Falconidae</b>                                     |         |
| ___ *American Kestrel; <i>declining</i>                               | O O O O |
| ___ Merlin  | R - R R |
| ___ *Peregrine Falcon; <i>increasing</i>                              | O O O O |
| <b>Rails, Gallinules, and Coots: Family Rallidae</b>                  |         |
| ___ *Virginia Rail  | O O O R |
| ___ *Sora   | O O O - |
| ___ Common Gallinule  | O R R - |
| ___ American Coot   | C R C O |
| <b>Cranes: Family Gruidae</b>   |         |
| ___ Sandhill Crane  | R - R - |
| <b>Plovers: Family Charadriidae</b>                                   |         |
| ___ Black-bellied Plover  | R R R - |
| ___ American Golden-Plover  | - - R - |
| ___ Semipalmated Plover   | O R O - |
| ___ Piping Plover; <i>threatened, few records</i>                     | R R R - |
| ___ *Killdeer   | C C C R |
| <b>AVOCET &amp; STILTS: Family Haematopodidae</b>                     |         |
| ___ American Avocet   | R R R - |
| <b>Sandpipers and Phalaropes: Family Scolopacidae</b>                 |         |
| ___ Greater Yellowlegs  | O O O - |
| ___ Lesser Yellowlegs   | O O O - |
| ___ Upland Sandpiper  | R - R - |
| ___ Solitary Sandpiper  | C O C - |
| ___ Willet  | R R R - |
| ___ *Spotted Sandpiper  | C O C R |
| ___ Upland Sandpiper  | R R R - |
| ___ Whimbrel  | R R R - |
| ___ Hudsonian Godwit  | R R R - |
| ___ Marbled Godwit  | R R R - |
| ___ Ruddy Turnstone   | O R O - |
| ___ Red Knot; <i>declining</i>  | R R R - |
| ___ Sanderling  | O O O - |
| ___ Semipalmated Sandpiper  | O O O - |
| ___ Western Sandpiper   | R R R - |
| ___ Least Sandpiper   | O O O - |
| ___ White-rumped Sandpiper  | R R R - |
| ___ Baird's Sandpiper   | R R R - |
| ___ Pectoral Sandpiper  | O O O - |
| ___ Purple Sandpiper; <i>rare on breakwalls, Lake Erie</i>            | R - R R |
| ___ Dunlin  | O - O - |
| ___ Stilt Sandpiper   | - R R - |
| ___ Short-billed Dowitcher  | O R O - |
| ___ Long-billed Dowitcher   | R R R - |
| ___ Wilson's Snipe  | O - O R |
| ___ *American Woodcock  | C O O R |
| ___ Wilson's Phalarope  | R R R - |
| ___ Red-necked Phalarope; <i>rare migrant</i>                         | - R R R |
| ___ Red Phalarope; <i>rare migrant on Lake Erie</i>                   | - - R R |
| <b>Jaegers, Gulls, and Terns: Family Laridae continued</b>            |         |
| ___ Black-legged Kittiwake; <i>rare on Lake Erie</i>                  | R - R R |
| ___ Sabine's Gull; <i>rare migrant on Lake Erie</i>                   | - - R R |
| ___ Little Gull; <i>rare migrant on Lake Erie</i>                     | R - R R |
| ___ Bonaparte's Gull  | C R C C |
| ___ Black-headed Gull; <i>rare visitor, Lake Erie</i>                 | R - R R |
| ___ Franklin's Gull   | R R R R |
| ___ Laughing Gull   | R R R R |
| ___ Ivory Gull; <i>one record, Gordon Park, Dec 17-19, 1975</i>       | - - - - |
| ___ Ring-billed Gull  | C C C C |
| ___ California Gull   | R R R R |
| ___ Herring Gull  | C C C C |
| ___ Thayer's Gull   | R - R R |
| ___ Iceland Gull  | R - R R |
| ___ Lesser Black-backed Gull  | O R O O |
| ___ Glaucous Gull   | O - R O |
| ___ Great Black-backed Gull   | C O C C |
| ___ Caspian Tern  | O O O - |
| ___ Common Tern   | O R O - |
| ___ Forster's Tern  | O R O - |
| ___ Black Tern; <i>declining, very rare migrant</i>                   | R - R - |
| <b>Alcids: Family Alcidae</b>   |         |
| ___ Black Guillemot; <i>one record, Gordon Park, Nov 8-11, 1990</i>   | - - - - |
| <b>Pigeons and Doves: Family Columbidae</b>                           |         |
| ___ *Rock Pigeon; <i>native to Eurasia</i>                            | C C C C |
| ___ *Mourning Dove  | C C C C |
| ___ White-winged Dove; <i>one record Huntington Reservation, 2015</i> | - - - - |
| ___ Eurasian Collared-Dove; <i>one record, Wendy Park, 2015</i>       | - - - - |
| <b>Cuckoos: Family Cuculidae</b>                                      |         |
| ___ *Black-billed Cuckoo  | O O O - |
| ___ *Yellow-billed Cuckoo   | O O O - |
| <b>Barn Owls: Family Tytonidae</b>                                    |         |
| ___ Barn Owl; <i>very rare migrant, no longer nests</i>               | R - R - |
| <b>Typical Owls: Family Strigidae</b>                                 |         |
| ___ *Eastern Screech-Owl  | C C C C |
| ___ *Great Horned Owl   | C C C C |
| ___ Snowy Owl   | - - R R |
| ___ *Barred Owl   | C C C C |
| ___ Long-eared Owl  | R - R R |
| ___ Short-eared Owl   | R - R R |
| ___ Northern Saw-whet Owl   | R - R R |
| <b>Nighthawks and Nightjars: Family Caprimulgidae</b>                 |         |
| ___ *Common Nighthawk   | C C C - |
| ___ Eastern Whip-poor-will  | R - R - |
| <b>Swifts: Family Apodidae</b>  |         |
| ___ *Chimney Swift  | C C C - |
| <b>Hummingbirds: Family Trochilidae</b>                               |         |
| ___ *Ruby-throated Hummingbird  | C C C - |
| <b>Kingfishers: Family Alcedinidae</b>                                |         |
| ___ *Belted Kingfisher  | C C C O |
| <b>Woodpeckers: Family Picidae</b>                                    |         |
| ___ *Red-headed Woodpecker  | O O O R |
| ___ *Red-bellied Woodpecker   | C C C C |
| ___ *Yellow-bellied Sapsucker   | O R O R |
| ___ *Downy Woodpecker   | C C C C |
| ___ *Hairy Woodpecker   | C C C C |
| ___ *Northern Flicker   | C C C R |
| ___ *Pileated Woodpecker  | C C C C |

|  |         |
|--|---------|
| ___ Olive-sided Flycatcher   | O R O - |
| ___ *Eastern Wood-Pewee  | C C C - |
| ___ Yellow-bellied Flycatcher  | O R O - |
| ___ *Acadian Flycatcher  | C O O - |
| ___ Alder Flycatcher   | O R O - |
| ___ *Willow Flycatcher   | C C O - |
| ___ Least Flycatcher   | C R C - |
| ___ *Eastern Phoebe  | C C C R |
| ___ Say's Phoebe; <i>two records, one from Gordon Park, 2004</i>         | - - - - |
| ___ *Great Crested Flycatcher  | C C C - |
| ___ Western Kingbird; <i>1 record, Brookside Reservation, 2012</i>       | - - - - |
| ___ *Eastern Kingbird  | C C C - |
| ___ Scissor-tailed Flycatcher; <i>1 record Huntington Reservation</i>    | - - - - |
| <b>Shrikes: Family Laniidae</b>  |         |
| ___ Loggerhead Shrike; <i>declining; very rare migrant</i>               | R R R R |
| ___ Northern Shrike  | R - R R |
| <b>Vireos: Family Vireonidae</b>   |         |
| ___ *White-eyed Vireo  | O O O - |
| ___ *Yellow-throated Vireo   | O O O - |
| ___ *Blue-headed Vireo   | C R C - |
| ___ *Warbling Vireo  | C C C - |
| ___ Philadelphia Vireo   | O - O - |
| ___ *Red-eyed Vireo  | C C C - |
| <b>Jays and Crows: Family Corvidae</b>                                   |         |
| ___ *Blue Jay  | C C C C |
| ___ *American Crow   | C C C C |
| ___ Fish Crow; <i>rare, recent nests in Cleveland region, since 2012</i> | - - - - |
| <b>Larks: Family Alaudidae</b>   |         |
| ___ Horned Lark  | O R O R |
| <b>Swallows: Family Hirundinidae</b>                                     |         |
| ___ Purple Martin  | O O O - |
| ___ *Tree Swallow  | C C C - |
| ___ *Northern Rough-winged Swallow                                       | C C C - |
| ___ *Bank Swallow  | O O O - |
| ___ *Cliff Swallow   | R R R - |
| ___ Cave Swallow; <i>very rare, few fall records, Edgewater Park</i>     | - - - - |
| ___ *Barn Swallow  | C C C - |
| <b>Chickadees and Titmice: Family Paridae</b>                            |         |
| ___ *Black-capped Chickadee  | C C C C |
| ___ Boreal Chickadee; <i>1 record 11/16/63 Rocky River Res.</i>          | - - - - |
| ___ *Tufted Titmouse   | C C C C |
| <b>Nuthatches: Family Sittidae</b>                                       |         |
| ___ *Red-breasted Nuthatch   | O R O O |
| ___ *White-breasted Nuthatch   | C C C C |
| <b>Creepers: Family Certhiidae</b>                                       |         |
| ___ *Brown Creeper   | C R C O |
| <b>Wrens: Family Troglodytidae</b>                                       |         |
| ___ Rock Wren; <i>one record, Edgewater Park, December 1973</i>          | - - - - |
| ___ *Carolina Wren   | C C C C |
| ___ *House Wren  | C C C - |
| ___ *Winter Wren   | C R C R |
| ___ Sedge Wren   | R R R - |
| ___ Marsh Wren   | O R O R |
| <b>Kinglets: Family Regulidae</b>  |         |
| ___ *Golden-crowned Kinglet  | C R C O |
| ___ Ruby-crowned Kinglet   | C - C R |
| <b>Gnatcatchers: Family Sylviidae</b>                                    |         |
| ___ *Blue-gray Gnatcatcher   | C C O - |

|  |         |
|--|---------|
| ___ Canada Warbler   | O R O - |
| ___ *Yellow-breasted Chat; <i>declining</i>                        | R R R - |
| <b>Tanagers: Family Thraupidae</b>                                 |         |
| ___ Summer Tanager; <i>rare migrant</i>                            | O R R - |
| ___ *Scarlet Tanager   | C C C - |
| ___ Western Tanager; <i>one record, Wendy Park, April 18, 2015</i> | - - - - |
| <b>Emberizid Sparrows: Family Emberizidae</b>                      |         |
| ___ *Eastern Towhee  | C C C R |
| ___ American Tree Sparrow  | C - C C |
| ___ *Chipping Sparrow  | C C C R |
| ___ Clay-colored Sparrow; <i>rare migrant</i>                      | R - R - |
| ___ *Field Sparrow   | C C C R |
| ___ Vesper Sparrow   | O - R - |
| ___ Lark Sparrow; <i>rare migrant, few records</i>                 | R - R - |
| ___ *Savannah Sparrow  | O R O - |
| ___ Grasshopper Sparrow  | R R R - |
| ___ Henslow's Sparrow; <i>has nested</i>                           | R - R - |
| ___ LeConte's Sparrow; <i>rare migrant</i>                         | R - R - |
| ___ Nelson's Sparrow; <i>rare migrant</i>                          | R - R - |
| ___ Fox Sparrow  | O - O R |
| ___ *Song Sparrow  | C C C C |
| ___ Lincoln's Sparrow  | O - O - |
| ___ *Swamp Sparrow   | C O C O |
| ___ White-throated Sparrow   | C R C O |
| ___ White-crowned Sparrow  | O - O R |
| ___ *Dark-eyed Junco   | C R C C |
| ___ Lapland Longspur   | R - R R |
| ___ Snow Bunting   | R - O R |
| <b>Cardinals and Allies: Family Cardinalidae</b>                   |         |
| ___ *Northern Cardinal   | C C C C |
| ___ *Rose-breasted Grosbeak  | C C C - |
| ___ Blue Grosbeak; <i>few records, very rare migrant</i>           | R - R - |
| ___ *Indigo Bunting  | C C O - |
| ___ Dickcissel; <i>few records, very rare migrant</i>              | R - R - |
| <b>Blackbirds and Orioles: Family Icteridae</b>                    |         |
| ___ *Bobolink  | O R O - |
| ___ *Red-winged Blackbird  | C C C O |
| ___ *Eastern Meadowlark  | C C C R |
| ___ Yellow-headed Blackbird; <i>very rare</i>                      | R - R - |
| ___ Rusty Blackbird  | O - O R |
| ___ Brewer's Blackbird; <i>very rare</i>                           | R - - R |
| ___ *Common Grackle  | C C C O |
| ___ *Brown-headed Cowbird  | C C C O |
| ___ *Orchard Oriole  | O O R - |
| ___ *Baltimore Oriole  | C C C - |
| <b>Finches and Allies: Family Fringillidae</b>                     |         |
| ___ Pine Grosbeak; <i>1 record 1/1/62 Rocky River Reservation</i>  | - - - - |
| ___ *Purple Finch  | O O O O |
| ___ *House Finch   | C C C C |
| ___ Red Crossbill  | R R R R |
| ___ White-winged Crossbill   | R - R R |
| ___ Common Redpoll; <i>irruptive, common some years</i>            | R - R R |
| ___ Hoary Redpoll; <i>rare irruptive in winter, few records</i>    | - - - - |
| ___ Pine Siskin; <i>irruptive, common some years</i>               | O R O O |
| ___ *American Goldfinch  | C C C C |
| ___ Evening Grosbeak; <i>declining</i>                             | R - R R |
| <b>Old World Sparrows: Family Passeridae</b>                       |         |
| ___ *House Sparrow; <i>native to Eurasia</i>                       | C C C C |



Northern Parula by Chuck Slusarczyk, Jr.

Date/time: \_\_\_\_\_

Location: \_\_\_\_\_

Weather: \_\_\_\_\_

